



PASE1-3/8 Bearing 2D drawings and 3D CAD models

INA PASE1-3/8 bearing units

Bearing No. PASE1-3/8

Bore Diameter	34,925 mm
d	34,925 mm
S1	29,49 mm
Thread (Q)	1/8 NPT
d3	51,004 mm
A	46,508 mm
A1	27,991 mm
B	38,989 mm
H	47,6 mm
H1	19 mm
H2	93,701 mm
J	129,998 mm
L	172 mm
N	15,012 mm
N1	7,9 mm
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	18.321
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron



Dacheng mechanical equipment manufact...

Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GRA106NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Spherical Standard Shaft Height With Set Screw
Long Description	2 Bolt Pillow Block; 1-3/8" Bore; 1-7/8" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.807" Minimum Bolt Spacing; 5.429" Bolt Spacing Maximum; Relubricatable; Cast
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	PASE1-3/8
Weight / LBS	3.749
Bore	1.375 Inch 34.925 Millimeter
Length Thru Bore	1.532 Inch 38.913 Millimeter
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Base to Center Height	1.875 Inch 47.63 Millimeter
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	5 Inch 127 Millimeter



Dacheng mechanical equipment manufact...

Center	
--------	--