




Dacheng mechanical equipment manufact...



W 629-2Z Bearing 2D drawings and 3D CAD models

9 mm x 26 mm x 8 mm SKF W 629-2Z deep groove ball bearings

Bearing No. W 629-2Z

Size	26x9x8 mm
Bore Diameter	26 mm
Outer Diameter	9 mm
Width	8 mm
d	9 mm
D	26 mm
B	8 mm
d ₂	13.9 mm
D ₂	22.38 mm
r _{1,2} - min.	0.6 mm
d _a - min.	13 mm
d _a - max.	13.8 mm
D _a - max.	22.6 mm
r _a - max.	0.6 mm
Basic dynamic load rating - C	4 kN
Basic static load rating - C ₀	2 kN
Fatigue load limit - P _u	0.083 kN
Reference speed	67000 r/min
Limiting speed	32000 r/min
Calculation factor - k _r	0.03
Calculation factor - f ₀	12.4
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF



Dacheng mechanical equipment manufact...

Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	9MM Bore; 26MM Outside Diameter; 8MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stainl
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Weight / LBS	0.043
Outside Diameter	1.024 Inch 26 Millimeter
Bore	0.354 Inch 9 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.315 Inch 8 Millimeter
d ₂	13.9 mm
D ₂	22.38 mm



Dacheng mechanical equipment manufact...

$r_{1,2}$ min.	0.6 mm
d_a min.	13 mm
d_a max.	13.8 mm
D_a max.	22.6 mm
r_a max.	0.6 mm
Basic dynamic load rating C	3.97 kN
Basic static load rating C_0	1.96 kN
Fatigue load limit P_u	0.083 kN
Calculation factor k_r	0.03
Calculation factor f_0	12.4
Mass bearing	0.019 kg